

Composite Screening Slat Profiles


Product views, cross-sections and nominal specifications

AVAILABLE PROFILES

150 mm PROFILE



PRODUCT VIEW




CROSS-SECTION

90 mm PROFILE



PRODUCT VIEW



CROSS-SECTION

DIMENSIONS AND WEIGHT


PROFILE	DIMENSIONS	WEIGHT P/LM
150 mm	160 x 20 x 2900 mm	2.182 kg
90 mm	90 x 20 x 2900 mm	1.28 kg

P/LM = per linear metre. Dimensions shown are width x thickness x length.

Colours & Surface Textures

A clear reference palette with friendly colour and finish labels

COLOUR PALETTE



Rose Wood

RW




Teak

TK



Golden Oak

GO



Dark Gray

DG



Radiant Gray

RG



Ancient Wood

AW

SURFACE TEXTURES



RO

RAW OAK
Surface texture

Installation Accessories

Framing, post and mounting components for Vista screening panels

FRAME & POST COMPONENTS

Accessories

The Last Elegance accessory range provides the complete support structure for Vista Composite Screening Slat — aluminium columns, iron ground bases, brackets and caps. All components are supplied in a black finish to match the panel framing and trims.

FEATURES

- 80 × 80 mm post system — 4 m aluminium columns.
- Iron base plates for concrete or paved fixing.
- 3 mm aluminium alloy brackets for corner and panel support.
- PP post caps to close off the column top.
- Black finish across the full accessory range.



Aluminium Column

ALUMINUM COLUMN

- **Material:** Aluminium alloy
- **Thickness:** 1.2 mm
- **Center Square Tube Size:** 40 × 40 mm
- **Size:** 80 × 80 × 3600 mm
- **Colour:** Black



Iron Base

IRON BASE

- **Material:** Iron
- **Base thickness:** 5.5 mm
- **Tube thickness:** 2.5 mm
- **Base Size:** 80 × 80 mm
- **Tube Size:** 40 × 40 mm
- **Length:** 60 cm / 100 cm
- **Colour:** Black



Aluminium Alloy Bracket

ALUMINUM ALLOY BRACKET

- **Material:** Aluminium alloy
- **Thickness:** 3 mm
- **Colour:** Black



Block (Post Cap)

BLOCK

- **Material:** PP
- **Size:** 80 × 80 mm
- **Colour:** Black

SPECIFICATION NOTES

Dimensions are nominal. Accessory selection depends on panel height, span and substrate — confirm quantities against the project layout.

Trims, Clips & Fixings

Aluminium trim profiles and stainless steel fasteners for Vista screening panels

TRIMS, CLIPS & FIXINGS



Upper and Lower Crossbeams

UPPER AND LOWER CROSSBEAMS

- **Material:** Aluminium alloy
- **Thickness:** 1.2 mm
- **Length:** 3.6 m
- **Colour:** Black



Edge Banding

EDGE BANDING

- **Material:** Aluminium alloy
- **Thickness:** 0.8 mm
- **Length:** 3.6 m
- **Colour:** Black



Separator

SEPARATOR

- **Material:** Aluminium alloy
- **Thickness:** 1.5 mm
- **Gap:** 2-3 cm
- **Colour:** Black



Starting Buckle

STARTING BUCKLE


- **Material:** Stainless steel 201 / 304 / 316
- **Thickness:** 0.9 / 1.0 / 1.2 mm
- **Applicable height:** 5 mm to 12 mm
- **Overall size:** 28 × 25 mm
- **Gap:** Hidden installation
- **Piercing method:** Convex / piercing / reaming
- **Installation type:** Start
- **Colour:** Silver / black



Self-Drilling Screws — Silver

SELF-DRILLING SCREWS (FOR STEEL JOINT)

- **Material:** Stainless steel 410
- **Diameter:** 3.9 / 4.2 mm
- **Length:** 25 / 30 / 42 / 48 mm
- **Colour range:** Silver / black / coffee
- **Finish:** Silver
- **Application:** Steel joint fixing



Self-Drilling Screws — Black

SELF-DRILLING SCREWS (FOR STEEL JOINT)

- **Material:** Stainless steel 410
- **Diameter:** 3.9 / 4.2 mm
- **Length:** 25 / 30 / 42 / 48 mm
- **Colour range:** Silver / black / coffee
- **Finish:** Black
- **Application:** Steel joint fixing

Screw length and clip specification should be selected to suit the frame material and panel thickness. Lengths supplied to customers' requirements.