Composite Decking Profiles

Product views, cross-sections and nominal specifications

AVAILABLE PROFILES

140 mm PROFILE



PRODUCT VIEW



CROSS-SECTION

140 mm PROFILE



PRODUCT VIEW



CROSS-SECTION

DIMENSIONS AND WEIGHT

PROFILE	DIMENSIONS	WEIGHT P/LM
140 mm	140 x 20 x 2900 mm	3.72 kg
140 mm	140 x 23 x 2900 mm	4.2 kg

P/LM = per linear metre. Dimensions shown are width x thickness x length.

Colours & Surface Textures

A clear reference palette with friendly colour and finish labels

COLOUR PALETTE



Rose Wood RW



Teak TK



Golden Oak GO



Dark Gray DG



Radiant Gray RG



Ancient Wood AW

SURFACE TEXTURES



DG **Deep Grain**
Surface texture



RO **Raw Oak**
Surface texture

Decking Accessories

Edge trims, joists, corners and fixings for Last Elegance Timberluxe decking

PROFILES & JOIST FIXINGS



100x11mm 2nd Generation Co-extruded WPC Edge Trim

WPC EDGE TRIM

- **Profile dimensions:** 100 x 11 mm
- **Weight per linear metre:** 1.44 kg/m
- **Generation:** 2nd generation, co-extruded
- **Application:** Decking edge trim



30x50mm 1st Generation Solid WPC Joist

WPC JOIST

- **Profile dimensions:** 30 x 50 mm
- **Weight per linear metre:** 2.02 kg/m
- **Generation:** 1st generation
- **Profile:** Solid WPC
- **Application:** Decking



2nd-generation External Corner

EXTERNAL CORNER

- **Profile dimensions:** 50 x 50 mm
- **Weight per linear metre:** 0.76 kg/m
- **Generation:** 2nd generation
- **Application:** Decking edge finishing



Expansion Bolt

EXPANSION BOLT

- **Material:** Steel
- **Model:** 8.8 mm
- **Colour:** Silver
- **Application:** Joist fixing

ORDERING NOTES

Profile dimensions are nominal cross-section sizes. Weights are per linear metre.

Fastening System

Concealed clips and screws for Last Elegance Timberluxe decking boards

CONCEALED FASTENERS



Starting Buckle

STARTING BUCKLE

- **Material:** Stainless steel 201 / 304 / 316
- **Thickness:** 0.9 / 1.0 / 1.2 mm
- **Applicable height:** 5 mm to 12 mm
- **Overall size:** 28 x 25 mm
- **Gap:** Hidden installation
- **Piercing method:** Convex / piercing / reaming
- **Installation type:** Start
- **Colour:** Silver / black



Black H-Shaped Clamp with Barbs

H-TYPE CLIP WITH THORN

- **Material:** Stainless steel 201 / 304 / 316
- **Thickness:** 0.9 / 1.0 / 1.2 mm
- **Applicable board height:** 4 mm to 12 mm
- **Installation type:** Stepping mounting
- **Gap:** No visible gap / 3 mm / 5 mm
- **Piercing method:** Convex / piercing / reaming
- **Finish:** Black



Plastic Clip

PLASTIC CLIP

- **Material:** Nylon
- **Thickness:** 4.5 mm
- **Size:** 47 x 19 mm
- **Colour:** Black
- **Applicable height:** 7 mm to 9 mm
- **Gap:** 6 mm
- **Installation method:** Middle-fixed

ORDERING NOTES

Fastener quantities should be calculated from deck area, board length and joist spacing.

Fastening System

Concealed clips and screws for Last Elegance Timberluxe decking boards

SCREWS & FIXINGS



Self-Drilling Screws (Black)

SELF-DRILLING SCREWS

- **Material:** Stainless steel 410
- **Diameter:** 3.9 / 4.2 mm
- **Length:** 25 / 30 / 42 / 48 mm
- **Application:** Steel joist fixing
- **Head:** Countersunk, Phillips drive
- **Colour range:** Silver / black / coffee
- **Finish:** Black



Self-Tapping Screws (Black)

SELF-TAPPING SCREWS

- **Material:** Stainless steel 201 / 304 / 316
- **Diameter:** 3.5 / 3.9 / 4.2 mm
- **Length:** 25 / 30 / 42 / 48 mm
- **Application:** Solid timber / composite joist
- **Head:** Countersunk, Phillips drive
- **Colour range:** Silver / black / coffee
- **Finish:** Black

ORDERING NOTES

Screw lengths are available to customer requirements.
Fastener quantities should be calculated from deck area, board length and joist spacing.