

Composite Siding Profiles


Product views, cross-sections and nominal specifications

AVAILABLE PROFILES

140 mm PROFILE



PRODUCT VIEW



CROSS-SECTION

DIMENSIONS AND WEIGHT

PROFILE	DIMENSIONS	WEIGHT P/LM
140 mm	5.5 in x .47 in x 9.51 ft (140 x 12 x 2900 mm)	1.19 lb/ft 1.77 kg

P/LM = per linear metre. Dimensions shown are width x thickness x length.

Colours & Surface Textures

A clear reference palette with friendly colour and finish labels

COLOUR PALETTE



Rose Wood

RW




Teak

TK



Golden Oak

GO



Dark Gray

DG



Radiant Gray

RG



Ancient Wood

AW

SURFACE TEXTURES



RO

RAW OAK
Surface texture

Fixing Accessories

Self-drilling screws and concealed siding clips for LastElegance Oakling Tongue And Groove Composite Siding

FIXING ACCESSORIES

Screws & Clips

The LastElegance range of fixing accessories covers self-drilling screws for steel sub-framing and concealed clips for Oakling Tongue And Groove Composite Siding. The screw drill point forms its own hole, so no pre-drilling is required, while the clip plate fixes flat to the batten and locates the board in its groove.

FEATURES

- Self-drilling screws in stainless steel 410.
- Screw diameters 3.9 / 4.2 mm, lengths 25 – 48 mm.
- Siding clips in stainless steel 201 / 304 / 316.


SCREW FIXINGS



Self-Drilling Screws — Silver

SELF-DRILLING SCREWS (FOR STEEL JOINT)

- **Material:** Stainless steel 410
- **Diameter:** 3.9 / 4.2 mm
- **Length:** 25 / 30 / 42 / 48 mm
- **Colour range:** Silver / black /
- **Finish:** Silver
- **Application:** Steel joint fixing



Self-Drilling Screws — Black

SELF-DRILLING SCREWS (FOR STEEL JOINT)

- **Material:** Stainless steel 410
- **Diameter:** 3.9 / 4.2 mm
- **Length:** 25 / 30 / 42 / 48 mm
- **Colour range:** Silver / black /
- **Finish:** Black
- **Application:** Steel joint fixing

CLIP FIXINGS



Silver H-Shaped Clamp with Barbs

H-TYPE CLIP WITH THORN

- **Material:** Stainless steel 201 / 304 / 316
- **Thickness:** 0.9 / 1.0 / 1.2 mm
- **Applicable board height:** 4 mm to 12 mm
- **Installation type:** Stepping mounting
- **Gap:** No visible gap
- **Piercing method:** Convex / piercing / reaming
- **Finish:** Silver



Black H-Shaped Clamp with Barbs

H-TYPE CLIP WITH THORN

- **Material:** Stainless steel 201 / 304 / 316
- **Thickness:** 0.9 / 1.0 / 1.2 mm
- **Applicable board height:** 4 mm to 12 mm
- **Installation type:** Stepping mounting
- **Gap:** No visible gap
- **Piercing method:** Convex / piercing / reaming
- **Finish:** Black

ORDERING NOTES

Screw lengths are supplied as per customers' requirements. Fastener and clip quantities should be calculated from cladding area and batten spacing.