Composite Siding Profiles


Product views, cross-sections and nominal specifications

AVAILABLE PROFILES

219 mm PROFILE



PRODUCT VIEW



CROSS-SECTION

DIMENSIONS AND WEIGHT


PROFILE	DIMENSIONS	WEIGHT P/LM
219 mm	8.62 in x .79 in x 9.51 ft (219 x 20 x 2900 mm)	1.62 lb/ft (2.41 kg)

P/LM = per linear metre. Dimensions shown are width x thickness x length.

Colours & Surface Textures

A clear reference palette with friendly colour and finish labels

COLOUR PALETTE




Rose Wood RW




Teak TK



Golden Oak GO



Dark Gray DG



Radiant Gray RG



Ancient Wood AW

SURFACE TEXTURES



MT **Metro**
Surface texture



RT **Rhythm**
Surface texture

Fixing Accessories

Self-drilling and self-tapping screws for composite siding installation

FIXING ACCESSORIES

Screw Fixings

The fixing range includes self-drilling screws for steel sub-framing and self-tapping screws for solid timber or composite joists.

FEATURES

- Self-drilling: stainless steel 410.
- Self-tapping: stainless steel 201 / 304 / 316.
- Lengths: 25 / 30 / 42 / 48 mm.

SELF-DRILLING SCREWS



Self-Drilling Screws (Black)

SELF-DRILLING SCREWS (FOR STEEL JOINT)

- **Material:** Stainless steel 410
- **Diameter:** 3.9 / 4.2 mm
- **Length:** 25 / 30 / 42 / 48 mm
- **Colour range:** Silver / black / coffee
- **Finish:** Black
- **Application:** Steel joint fixing

SELF-TAPPING SCREWS



Self-Tapping Screws (Black)

SELF-TAPPING SCREWS

- **Material:** Stainless steel 201 / 304 / 316
- **Diameter:** 3.5 / 3.9 / 4.2 mm
- **Length:** 25 / 30 / 42 / 48 mm
- **Colour range:** Silver / black / coffee
- **Finish:** Black
- **Application:** Solid timber / composite joists

ORDERING NOTES

Screw lengths are supplied as per customers' requirements. Calculate quantities from cladding area and batten spacing.

Fixing Accessories

Corner trim and concealed siding clips for composite siding installation

FIXING ACCESSORIES

Corner Trim & Clips

Complete cladding edges with a panel corner. Concealed H-shaped clamps fix flat to the batten and locate the board in its groove.

FEATURES

- Panel corner for cladding edge finishing.
- Clips: stainless steel 201 / 304 / 316.
- Applicable board height: 4 mm to 12 mm.

CORNER TRIM




Great Wall Panel Corner

PANEL CORNER

- **Profile dimensions:** 56 x 49.5 mm
- **Weight per linear metre:** 0.957 kg/m
- **Application:** Cladding
- **Function:** Edge finishing

CLIP FIXINGS



Black H-Shaped Clamp with Barbs

H-TYPE CLIP WITH THORN

- **Material:** Stainless steel 201 / 304 / 316
- **Thickness:** 0.9 / 1.0 / 1.2 mm
- **Applicable board height:** 4 mm to 12 mm
- **Installation type:** Stepping mounting
- **Gap:** No visible gap
- **Piercing method:** Convex / piercing / reaming
- **Finish:** Black

ORDERING NOTES

Fastener and clip quantities should be calculated from cladding area and batten spacing.