Composite Fence Post Profiles


Product views, cross-sections and nominal specifications

AVAILABLE PROFILES

45 mm PROFILE



PRODUCT VIEW




CROSS-SECTION

50 mm PROFILE



PRODUCT VIEW



CROSS-SECTION

DIMENSIONS AND WEIGHT


PROFILE	DIMENSIONS	WEIGHT P/LM
45 mm	1.77 in x 3.54 in x 9.51 ft (45 x 90 x 2900 mm)	1.41 lb/ft (2.10 kg)
50 mm	1.97 in x 1.97 in x 9.51 ft (50 x 50 x 2900 mm)	0.73 lb/ft (1.1 kg)

P/LM = per linear metre. Dimensions shown are width x thickness x length.

Colours & Surface Textures

A clear reference palette with friendly colour and finish labels

COLOUR PALETTE




Rose Wood RW




Teak TK



Golden Oak GO



Dark Gray DG



Radiant Gray RG



Ancient Wood AW

SURFACE TEXTURES



CRT **Crude Rhythm**
Surface texture



RL **Relief**
Surface texture

Accessories

Fittings and fixings for Last Elegance Linea Composite Fence Post

FITTINGS & FIXINGS

Accessories

The Last Elegance accessory range covers the fittings and fixings used to assemble Linea Composite Fence Post. U-channel square tube fittings bracket the frame to posts and walls, while matching self-drilling screws fix the assembly to steel joints without a pilot hole.

FEATURES

- U-channel square tube fittings in 2 mm iron.
- Fitting size 50 × 50 mm, black finish.
- Self-drilling screws in stainless steel 410.
- Screw diameters of 3.9 mm and 4.2 mm.
- Silver and black screw finishes to suit the panel.



U-Channel Square Tube Fittings

U-CHANNEL SQUARE TUBE FITTINGS

- **Material:** Iron
- **Thickness:** 2 mm
- **Size:** 50 × 50 mm
- **Colour:** Black / Gold



Self-Drilling Screws — Black

SELF-DRILLING SCREWS (FOR STEEL JOINT)

- **Material:** Stainless steel 410
- **Diameter:** 3.9 / 4.2 mm
- **Length:** 25 / 30 / 42 / 48 mm
- **Colour range:** Silver / black
- **Finish:** Black

ORDERING NOTES

Self-drilling screw lengths are supplied as per customers' requirements. Accessory quantities should be calculated from fence run length, panel height and post spacing.